Composites Science and Technology **34** (1989) 382–383

SUBJECT INDEX TO VOLUME 34

Axisymmetric loading, 187

Biaxial stresses, 19
Buckling, 3, 113

Carbon fibres (surface treatment), 353
Carbon/PEEK composites, 163, 243
CFRP, 19
Cold plasma treatment, 355
Compression loading, 1
Compression/indentation tests, 308
Contact stresses, 103
Crack resistance curves, 280
Creep and recovery, 166
Cross-ply laminates, 205
Curing (polyester), 73

Delamination, 1, 113
  cracks, 365
  growth, 120
Design philosophy, 53
Dynamic mechanical properties, 346

End-fixity, 113
Energy absorption mechanisms, 305
Energy release rate, 7, 366
Ether-amide block copolymers, 337

Failure mechanisms, 267
Fibre
  deformation, 243
  pull-out, 35
  toughness, 326
Finite element analysis, 7, 131
Fracture
  toughness, 225
  toughness (interlaminar), 373
Free edge stresses, 259
Functional design, 60

Green's function, 96
Glassy metal reinforcement, 267

Higher order plate theory, 205
Hybrid composites, 305

Impact
  failure mechanisms, 322
  resistance, 305
Indentation of beams, 95
Industrial development (composites), 53
Integrated design, 63
Interfacial shear strength, 35, 289
Interlaminar
  fracture, 129, 365
  stresses, 259

Composites Science and Technology (**34**) (1989)—© 1989 Elsevier Science Publishers Ltd, England. Printed in Great Britain

J integral, 234

Market penetration (composites), 61
Material design, 55
Microdebond method, 35
Micro-indenter push-through test, 289
Mixed-mode fracture, 129
Mode I fracture, 225
Multiple cracking, 147

Non-linear
  deformation, 187
  viscoelasticity, 174

Off-axis loading, 19
Orthotropic
  beams, 95
  plates, 187

PEEK, 163
Plasma treatment (carbon fibres), 353
Post-buckling, 113
PVC sandwich core materials, 225
Producer-customer relationships, 66
Push-through test, 289

Quasi-isotropic laminates, 19

Residual thermal stress, 243
Rigid cylinder indentation, 100
R curves, 280
Raman microscopy, 245
Rubber modified epoxy, 269

Sandwich materials, 225
Scratch
  friction, 79
  hardness, 73
Shear deformation (indentation), 107
Shear lag analysis, 147
Structural design, 59
Surface treatment (carbon fibres), 353

Thermoplastic matrix, 163
Transient response, 205
Transverse cracks, 145

Viscoelastic behaviour, 163, 337

Wetting (fibre surfaces), 355

AUTHOR INDEX TO VOLUME 34

Bäcklund, J., 225
Benzeggagh, M. L., 129
Briscoe, B. J., 73
Chen, L. C., 305
Da Youxian, 353
Davies, P., 129
Day, R. J., 243
Doan, C., 337
Evans, P. D., 73
Foley, C., 267
Gaur, U., 35
Gérard, J. F., 337
Gong, X. J., 129
Gorji, M., 187
Hamelin, P., 337
Hewitt, G., 267
Hong, C. S., 145
Hu Baorong, 353
Huang Weiqiu, 353
Jang, B. Z., 305
Kardomateas, G. A., 113
Khdeir, A. A., 205
Lim, S. G., 145
Lin, H. T., 305
Low, I.-M., 267
Mai, Y.-M., 267
Manoharan, M. G., 365
Merle, G., 337
Miller, B., 35
Mourin, M., 129
Netravali, A. N., 289
Prel, Y. J., 129
Reddy, J. N., 205
Reedy, E. J., 259
Robinson, I. M., 243
Roelandt, J. M., 129
Ruoff, S., 289
Sankar, B. V., 95
Shaw, D., 1
Stone, D., 289
Sun, C. T., 365
Sun Mujin, 353
Swanson, S. R., 19
Tang Ying, 353
Topoleski, L. T. T., 289
Trask, B. C., 19
Tsai, M. Y., 1
Wang, C. Z., 305
Willinger, M., 53
Wu Yisheng, 353
Xiao, X., 163
Xie, M., 337
Young, R. J., 243
Zakikhani, M., 243
Zee, R. H., 305
Zenkert, D., 225

Composites Science and Technology (**34**) (1989)—© 1989 Elsevier Science Publishers Ltd, England. Printed in Great Britain